This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES


Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):


- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS


IMAGES ARE BEST AVAILABLE COPY.


As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.





















D46/1024CAT antigenomic RNA

FIG. 6

ſRibozyme | ┌─17 Terminator X 2 G GS C ORF TAAAGTAATTAAAAATAGTCATAACAATGAACTAGGATATCAAGACTAACAATAACATTGGGGCAAATGCAAACATG... M2 parental 046 plasmid r-Scal r-Pacl ¥ × ACTAC NS1 NS2 Pac! T7 PROMOTER —

FIG. 7A

FIG. 7B








FIG. 9B








FIG. 8


1 2 3 4 5


1,635


1,018


516

394













FIG. 16

The SH-minus mutant has a steeper gradient of polar transcription

		[· - ·		-p (1011		
Rela	tive mR	NA abur	ndance:	SH-min	us/wild	type
	М	G	F	М2	L	
	1.1	1.3	0.61	0.32	0.17	
	Posi	tions of	genes i	n 3'-5'	map	
	WT:		6 7 -SH-G-)	

5 6 9 SH-minus: 3'-M----G-F-M2-L



D46/6340HEK plasmid encoding the RSV antigenome with SH deletion (underlined)

SH ter ter Xhol I

A A C

ATG AGA CCG TTG TCA CIT GAG ACC ATA

M R P L S L E T I

18 م Z 1099 Afili NS2 NS2 NS1 NS1 T7 promoter

FIG. 18

FIG. 19




FIG. 24





FIG. 20







FIG. 23






Fig. 25B





Fig. 25C



downstream G ORF

 $\verb"TC\underline{C} AA\underline{C} \ \verb"TC\underline{T} \ AC\underline{T} \ CA\underline{G} \ AA\underline{C} \ AC\underline{T} \ CA\underline{G} \ \verb"TC\underline{C} \ CA\underline{C} \ GC\underline{C} \ TAATG$ new, TCA AAT TCC ACC CAA AAT ACC CAA TCA CAT GCT T---wt N S \mathbf{T} O N \mathbf{T} Q S

G-F intergenic

G gene-end

F gene-start MfeI

AGTTATATAAAA-

CAATT GGGGCAAATAA...

AGTTATTCAAAAA CTACA GGGGCAAATAA...

TCTTAGCAGAAAACCGTGACCTATCAAGCAAGAACGAAATTAAACCT 47-nucleotide deletion

Fig. 27

Replication of chimeric recombinant AB RSVs in seronegative juvenile chimpanzees

